


PERMIT DRAWINGS

CRANE ISLAND DOCKS

THE RANGE AT CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL 32034

DATE ISSUED: NOVEMBER 2, 2018



VICINITY MAP

NTS

SHEET INDEX

- | | |
|-----------|--|
| | COVER SHEET |
| | BOUNDARY SURVEY |
| C-100 | OVERALL CRANE ISLAND DOCKS EXISTING CONDITIONS |
| C-101 | OVERALL CRANE ISLAND DOCKS PROPOSED PLAN |
| C-102-107 | CRANE ISLAND DOCKS PROPOSED PLAN DETAILS |

CERTIFICATION

THIS IS TO CERTIFY THAT, TO THE BEST OF MY KNOWLEDGE, THE CIVIL ENGINEERING PLANS AND SPECIFICATIONS FOR THIS PROJECT MEET THE NASSAU COUNTY LAND DEVELOPMENT CODE OR HAVE BEEN AMENDED BY A PUD PROCESS WHICH HAS BEEN APPROVED BY NASSAU COUNTY.

FL. REG. No: 57412

CRANE ISLAND SUBDIVISION


FERNANDINA BEACH, FL 32034

**10748 DEERWOOD PARK BLVD. SOUTH
JACKSONVILLE, FL 32256
904-256-2500 FAX 904-256-2501**

SAAD WALLAN, DEVELOPER
by his Attorney-In-Fact, Laura Palmisano
THE RANGE AT CRANE ISLAND, LLC



PERMIT SET



CHICAGO TITLE INSURANCE COMPANY
ORDER NUMBER 4594868
EFFECTIVE DATE: OCTOBER 25, 2013
SCHEDULE B -- SECTION 2

EXCEPTION NUMBER	RECORDED DOCUMENT	DESCRIPTION	SECTION 2	COMMENTS
6	D.B. 142, PG. 283	RESERVATIONS		AFFECTS PORTION LYING IN GOVERNMENT LOT 1, SECTION 43, TOWNSHIP 2 NORTH, RANGE 28 EAST
7	O.R. 1589, PG. 144	CONSERVATION EASEMENT		SHOWN
8	O.R. 1545, PG. 433	CONSERVATION EASEMENT		SHOWN
9	O.R. 1560, PG. 1353	TERMS, COVENANTS, CONDITIONS, RESTRICTIONS AND EASEMENTS		BLANKETS SITE
10	O.R. 1973, PG. 468	TERMS, COVENANTS, CONDITIONS, RESTRICTIONS AND EASEMENTS		BLANKETS SITE
11	O.R. 986, PG. 1620	WATER AND SEWER SERVICE AGREEMENT		UNENFORCEABLE
12	O.R. 1594, PG. 1436	PREFERAL AVIGATION EASEMENT		BLANKETS ENTIRE SITE, EXCEPT PORTION LYING WESTERLY OF THE EASTERLY R/W LINE OF THE INTRACOASTAL WATERWAY
13	O.R. 1605, PG. 903	TERMS AND CONDITIONS		BLANKETS OLD ROAD PARCEL
18	O.R. 109, PG. 249	RESERVATIONS		AFFECTS PORTION LYING IN GOVERNMENT LOTS 5 & 6, SECTION 43, TOWNSHIP 2 NORTH, RANGE 28 EAST
19	O.R. 885, PG. 616	RIGHTS AND INTEREST		SHOWN
20	O.R. 119, PG. 337	EASEMENT DEED		SHOWN
21	O.R. 118, PG. 345	EASEMENT DEED		SHOWN


PARCEL 1 OF THE LEGAL DESCRIPTION IN THE TITLE COMMITMENT AND PARCEL 2 OF THE LEGAL DESCRIPTION IN THE TITLE COMMITMENT ARE CONTIGUOUS TO EACH OTHER ALONG A PORTION OF THE EAST BOUNDARY LINE OF PARCEL 1 AND A PORTION OF THE WEST BOUNDARY LINE OF PARCEL 2;

MARSH PARCEL 1 OF THE LEGAL DESCRIPTION IN THE TITLE COMMITMENT AND PARCEL 1 OF THE LEGAL DESCRIPTION IN THE TITLE COMMITMENT ARE CONTIGUOUS TO EACH OTHER ALONG THE SOUTH BOUNDARY LINE OF MARSH PARCEL 1 AND THE NORTH BOUNDARY LINE OF PARCEL 1;

MARSH PARCEL 2 OF THE LEGAL DESCRIPTION IN THE TITLE COMMITMENT AND PARCEL 1 OF THE LEGAL DESCRIPTION IN THE TITLE COMMITMENT ARE CONTIGUOUS TO EACH OTHER ALONG THE NORTHERLY AND WESTERLY BOUNDARY LINES OF MARSH PARCEL 2 AND THE EASTERLY AND SOUTHERLY BOUNDARY LINES OF PARCEL 2, AND THESE PARCELS, TAKEN AS A TRACT, CONSTITUTE ONE PARCEL OF LAND.

LINE TABLE			LINE TABLE		
LINE	LENGTH	BEARING	LINE	LENGTH	BEARING
L27	608	N78°58'06"E	L44	6356	
L28	8859	S25°57'08"E	L45	5431	
L29	6754	S09°33'47"E	L46	5462	
L30	4472	S13°12'50"W	L47	9558	
L31	9417	S02°44'34"W	L48	9579	
L32	9417	S02°44'34"W	L49	10027	
L33	14193	S41°27'56"E	L50	10027	
L34	3274	S44°09'38"E	L51	10229	
L35	13669	S04°58'55"W	L52	10028	
L36	6345	S28°17'39"E	L53	10002	
L37	5674	N75°59'06"E	L54	2024	
L38	6420	S27°58'22"E	L55	9405	
L39	13463	S38°59'03"W	L56	10065	
L40	3746	S08°52'37"W	L57	10050	
L41	19405	S49°15'37"W	L58	10010	
L42	2270	S01°58'58"W	L59	9134	
L43	2270	S01°58'58"W	L60	9134	
L44	2270	S01°58'58"W	L61	9134	
L45	2270	S01°58'58"W	L62	9134	
L46	2270	S01°58'58"W	L63	9134	
L47	2270	S01°58'58"W	L64	9134	
L48	2270	S01°58'58"W	L65	9134	
L49	2270	S01°58'58"W	L66	9134	
L50	2270	S01°58'58"W	L67	9134	
L51	2270	S01°58'58"W	L68	9134	
L52	2270	S01°58'58"W	L69	9134	
L53	2270	S01°58'58"W	L70	9134	
L54	2270	S01°58'58"W	L71	9134	
L55	2270	S01°58'58"W	L72	9134	
L56	2270	S01°58'58"W	L73	9134	
L57	2270	S01°58'58"W	L74	9134	
L58	2270	S01°58'58"W	L75	9134	
L59	2270	S01°58'58"W	L76	9134	
L60	2270	S01°58'58"W	L77	9134	
L61	2270	S01°58'58"W	L78	9134	
L62	2270	S01°58'58"W	L79	9134	
L63	2270	S01°58'58"W	L80	9134	
L64	2270	S01°58'58"W	L81	9134	
L65	2270	S01°58'58"W	L82	9134	
L66	2270	S01°58'58"W	L83	9134	
L67	2270	S01°58'58"W	L84	9134	
L68	2270	S01°58'58"W	L85	9134	
L69	2270	S01°58'58"W	L86	9134	
L70	2270	S01°58'58"W	L87	9134	
L71	2270	S01°58'58"W	L88	9134	
L72	2270	S01°58'58"W	L89	9134	
L73	2270	S01°58'58"W	L90	9134	
L74	2270	S01°58'58"W	L91	9134	
L75	2270	S01°58'58"W	L92	9134	
L76	2270	S01°58'58"W	L93	9134	
L77	2270	S01°58'58"W	L94	9134	
L78	2270	S01°58'58"W	L95	9134	
L79	2270	S01°58'58"W	L96	9134	
L80	2270	S01°58'58"W	L97	9134	
L81	2270	S01°58'58"W	L98	9134	
L82	2270	S01°58'58"W	L99	9134	
L83	2270	S01°58'58"W	L100	9134	

GRAPHIC SCALE



(IN FEET)
1 inch = 300 ft.






Map Showing A Boundary Survey

A PORTION OF GOVERNMENT LOTS 2 AND 3, SECTION 6, TOWNSHIP 28 EAST, NASSAU COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NORTHEAST CORNER OF SECTION 6; THENCE NORTHWESTERLY, ALONG THE NORTHERLY LINE OF SAID SECTION 6, RUN THE FOLLOWING TWO (2) COURSES AND DISTANCES: COURSE NO. 1: NORTH 89°41'48" WEST, 2353.12 FEET, TO THE POINT OF BEGINNING; COURSE NO. 2: CONTINUE NORTH 89°41'48" WEST, 1161.60 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 53.38 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 85°40'09" WEST, 53.33 FEET; THENCE SOUTH 87°37'42" WEST, 160.30 FEET; THENCE SOUTH 79°19'19" WEST, 24.40 FEET; THENCE SOUTH 50°37'01" EAST, 17.23 FEET; THENCE NORTH 87°37'42" EAST, 104.38 FEET, TO THE ARC OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 151.26 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 55°55'34" WEST, 149.94 FEET; THENCE NORTH 08°42'30" WEST, 87.84 FEET; THENCE SOUTH 79°19'19" WEST, 20.00 FEET; THENCE SOUTH 08°42'36" EAST, 104.14 FEET, TO THE ARC OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 170.91 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 55°55'34" WEST, 149.94 FEET; THENCE NORTH 08°42'30" WEST, 87.84 FEET; THENCE SOUTH 79°19'19" WEST, 20.00 FEET; THENCE SOUTH 08°42'36" EAST, 104.14 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 08°38'12" WEST, 204.17 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 152.62 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 22°16'01" WEST, 151.18 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 35°55'50" WEST, 53.35 FEET; THENCE NORTH 54°04'10" WEST, 20.00 FEET; THENCE SOUTH 35°55'50" WEST, 80.00 FEET; THENCE SOUTH 54°04'10" EAST, 20.00 FEET; THENCE SOUTH 35°55'50" WEST, 440.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 23.90 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 40°49'14" WEST, 23.87 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 40°42'38" WEST, 87.98 FEET; THENCE NORTH 56°53'41" WEST, 117.11 FEET; THENCE SOUTH 33°06'19" WEST, 20.00 FEET; THENCE SOUTH 56°53'41" EAST, 112.79 FEET, TO THE ARC OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 200.00 FEET, AN ARC DISTANCE OF 237.63 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 05°28'31" WEST, 233.80 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE SOUTHWEST; THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 87.80 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 06°35'48" WEST, 86.37 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 11°22'10" WEST, 155.95 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE SOUTHWEST; THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 215.59 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 54°15'27" WEST, 198.00 FEET, TO AN INTERSECTION WITH THE ORIGINAL GOVERNMENT MEANDER LINE OF SECTION 6, AS SURVEYED BY WASHINGTON AND WILLIS, DATED 1831; THENCE SOUTH 09°48'52" EAST, ALONG LAST SAID LINE, 61.88 FEET, TO THE ARC OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 204.00 FEET, AN ARC DISTANCE OF 287.36 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 51°43'26" EAST, 284.19 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 11°22'10" EAST, 155.95 FEET, TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 200.00 FEET, AN ARC DISTANCE OF 125.43 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 06°35'48" WEST, 123.38 FEET, TO THE POINT OF REVERSE CURVATURE OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 140.00 FEET, AN ARC DISTANCE OF 171.71 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 10°34'26" EAST, 161.15 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 45°42'38" EAST, 100.77 FEET, TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 200.00 FEET, AN ARC DISTANCE OF 34.14 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 40°49'14" EAST, 34.10 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 35°55'50" EAST, 440.00 FEET; THENCE SOUTH 54°04'10" EAST, 20.00 FEET; THENCE NORTH 35°55'50" EAST, 80.00 FEET; THENCE NORTH 54°04'10" WEST, 20.00 FEET; THENCE NORTH 35°55'50" EAST, 53.35 FEET, TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 330.00 FEET, AN ARC DISTANCE OF 181.24 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 08°38'12" EAST, 204.17 FEET, TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 270.00 FEET, AN ARC DISTANCE OF 385.00 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 49°27'12" EAST, 383.20 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE SOUTH 89°41'48" EAST, 1106.60 FEET, TO THE POINT OF CURVATURE OF A CURVE TO THE NORTHEAST; THENCE NORTHEASTERLY, ALONG AND AROUND THE ARC OF SAID CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 88.39 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 45°18'12" EAST, 77.78 FEET, TO THE POINT OF TANGENCY OF SAID CURVE; THENCE NORTH 00°18'12" EAST, 5.00 FEET, TO THE POINT OF BEGINNING.

CONTAINING 4.88 ACRES, MORE OR LESS.

CERTIFIED TO:
THE RANGE AT CRANE ISLAND LLC;
CHICAGO TITLE INSURANCE COMPANY




DENOTES PORTION OF ROADWAY LYING WITHIN TRACT SHOWN AS "AIRCRAFT SERVICE AND MODIFICATION" AS DEFINED IN DEED BOOK 218, PAGE 148 (SEE NOTE NO. 5) APPROXIMATELY 0.67 ACRES±

GENERAL NOTES

1. BEARINGS BASED ON THE NORTH LINE OF SECTION 6, TOWNSHIP 28 NORTH, RANGE 28 EAST, STATE PLANE COORDINATE SYSTEM, FLORIDA EAST ZONE, N.A.D. 1983, 1990 N.G.S. ADJUSTMENT (GRID BEARINGS) AS NORTH 89°41'48" WEST.
2. INTERIOR IMPROVEMENTS NOT LOCATED EXCEPT AS SHOWN.
3. THE SECTION LINES AND GOVERNMENT LOT LINES AS SHOWN HEREON ARE BASED ON THE ORIGINAL GOVERNMENT SURVEYS PERFORMED IN 1831 & 1849 AND THE SUBSEQUENT TOWNSHIP PLATS DATED JAN. 1834, JULY 5, 1849, & MARCH 21, 1884.
4. X- REF: CLARY & ASSOC.: FILE NO. R1-9D, R3-5B, T2N-35, T2N-57, R7-1C SURVEY BY SUNSHINE STATE SURVEYORS, INC.: FILE NO. 87E-2218. SURVEY BY COASTAL LAND SURVEYORS
5. AIRCRAFT SERVICE AND MODIFICATION TRACT AS SHOWN HEREON IS ONE OF FIVE TRACTS RELEASED FROM ALL "RESERVATIONS, RESTRICTIONS, COVENANTS AND CONDITIONS" AS DEFINED IN DEED BOOK 218, PAGE 148, AND IS A PORTION OF THOSE LANDS CONTAINED IN "CANCELLATION OF LEASE AND QUITCLAIM," RECORDED IN DEED BOOK 149, PAGE 101, AND "RESOLUTION NO. 223," AS RECORDED IN DEED BOOK 218, PAGE 146, ALL OF THE PUBLIC RECORDS OF NASSAU COUNTY, FLORIDA.
6. THIS SURVEY ONLY SHOWS IMPROVEMENTS/STRUCTURES SITUATED ABOVE GROUND. BELOW GROUND IMPROVEMENTS/STRUCTURES IF ANY NOT SHOWN OR LOCATED.
7. THE LANDS SHOWN HEREON LIE WITHIN ZONE "AE" (EL8), "X" AND "X" (SHADED) AS SHOWN ON FLOOD INSURANCE RATE MAP 0378F AND 0377F, COMMUNITY NO. 120170 AND 120172, DATED DECEMBER 17, 2010. HOWEVER, THE FLOOD INSURANCE RATE MAPS ARE SUBJECT TO CHANGE.

GRAPHIC SCALE



LINE TABLE		
LINE	LENGTH	BEARING
L1	160.30	S89°37'42"W
L2	24.40	S79°19'19"W
L3	17.23	S50°37'01"E
L4	104.38	N87°37'42"E
L5	87.84	N08°42'36"W
L6	20.00	S78°19'19"W
L7	104.14	S09°42'36"E
L8	53.35	S35°55'50"W
L9	20.00	N54°04'10"W
L10	80.00	S35°55'50"W
L11	20.00	S54°04'10"E
L12	87.98	S45°42'38"W
L13	117.11	N56°53'41"E
L14	20.00	S33°06'19"W
L15	112.79	S56°53'41"E
L16	61.88	S09°48'52"E
L17	100.77	N45°42'38"E
L18	20.00	S54°04'10"E
L19	80.00	N35°55'50"E
L20	20.00	N54°04'10"W
L21	53.35	N35°55'50"E

CURVE TABLE				
CURVE	LENGTH	RADIUS	DELTA	CHORD
C1	53.38	330.00'	8°16'07"	53.33'
C2	151.26	330.00'	26°15'48"	149.94'
C3	215.58	144.00'	85°46'33"	198.00'

LEGEND

- ATB = APPROXIMATE TOP OF BANK
- D.B. = DEED BOOK
- O.R. = OFFICIAL RECORDS
- R = RADIUS
- L = LENGTH
- Δ = DELTA
- CB = CHORD BEARING
- CH = CHORD
- PC = POINT OF CURVATURE
- PT = POINT OF TANGENCY
- PRC = POINT OF REVERSE CURVATURE
- P.B. = PLAT BOOK
- = SET 1/2" IRON PIPE
- = "CLARY ASSOC"
- = FOUND 1/2" IRON PIPE
- = "CLARY ASSOC"
- = (UNLESS NOTED OTHERWISE)
- = FOUND NAIL

PARCEL 2
SHEET 3 OF 4

REVISION	DATE	DRAWN	WORK ORDER NO.	REASON FOR REVISION
2-13-14	JIS	2014-67		DESCRIPTION REVISED, FLOOD ZONES ADDED
2-13-14	JIS	2014-67		BOUNDARY SURVEY OF ISLAND AND ACCESS ROAD
1-24-14	JIS	2014-38		REVISED MAP, MAP REFERENCE IN DESCRIPTION
1-24-14	JIS	2014-38		REVISED PARCEL LIMITS
2-13-14	JIS	2014-38		REVISED PARCEL LIMITS
THIS MAP OR SURVEY MEETS THE MINIMUM TECHNICAL STANDARDS SET FORTH BY THE FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES IN CHAPTER 54-17, FLORIDA ADMINISTRATIVE CODE, PURSUANT TO SECTIONS 472.067, FLORIDA STATUTES, UNLESS OTHERWISE SHOWN AND STATED HEREON.				
THIS DRAWING, SPECIFIC PLAT OR MAP IS NOT VALID UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL RAISED SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER (CHAPTERS 45-17, FLORIDA ADMINISTRATIVE CODE).				
Clary & Associates PROFESSIONAL SURVEYORS & MAPPERS LB NO. 3731 3830 CRUM POINT ROAD JACKSONVILLE, FLORIDA 32257 (904) 285-2703 WWW.CLARYASSOC.COM				


CURRENT SURVEY DATE: 02-13-14
DATE: 01-16-14

CHECKED BY: MTN

CAD FILE: 2013-386-3

P.C.: COCKRELL F.B.: 729L, PG. 33

JOB No. 2013-386, 2014-67 DRAFTING: MJC



GRAPHIC SCALE



300 150 0 300 600 1200

(IN FEET)
1 inch = 300 ft.


(IN FEET)
1 inch = 300 f

ASSOC.COM
EILEE NO T2N-147

THIS MAP OR STREET MEETS THE URBAN DESIGNATION OF THE CITY OF JACKSONVILLE, FLORIDA, AND IS A PART OF THE JACKSONVILLE AND CHESAPEAKE SERVICES, IN A PART OF 4-17, 4-18, 4-19, 4-20, 4-21, 4-22, 4-23, 4-24, 4-25, 4-26, 4-27, 4-28, 4-29, 4-30, 4-31, 4-32, 4-33, 4-34, 4-35, 4-36, 4-37, 4-38, 4-39, 4-40, 4-41, 4-42, 4-43, 4-44, 4-45, 4-46, 4-47, 4-48, 4-49, 4-50, 4-51, 4-52, 4-53, 4-54, 4-55, 4-56, 4-57, 4-58, 4-59, 4-60, 4-61, 4-62, 4-63, 4-64, 4-65, 4-66, 4-67, 4-68, 4-69, 4-70, 4-71, 4-72, 4-73, 4-74, 4-75, 4-76, 4-77, 4-78, 4-79, 4-80, 4-81, 4-82, 4-83, 4-84, 4-85, 4-86, 4-87, 4-88, 4-89, 4-90, 4-91, 4-92, 4-93, 4-94, 4-95, 4-96, 4-97, 4-98, 4-99, 4-100, 4-101, 4-102, 4-103, 4-104, 4-105, 4-106, 4-107, 4-108, 4-109, 4-110, 4-111, 4-112, 4-113, 4-114, 4-115, 4-116, 4-117, 4-118, 4-119, 4-120, 4-121, 4-122, 4-123, 4-124, 4-125, 4-126, 4-127, 4-128, 4-129, 4-130, 4-131, 4-132, 4-133, 4-134, 4-135, 4-136, 4-137, 4-138, 4-139, 4-140, 4-141, 4-142, 4-143, 4-144, 4-145, 4-146, 4-147, 4-148, 4-149, 4-150, 4-151, 4-152, 4-153, 4-154, 4-155, 4-156, 4-157, 4-158, 4-159, 4-160, 4-161, 4-162, 4-163, 4-164, 4-165, 4-166, 4-167, 4-168, 4-169, 4-170, 4-171, 4-172, 4-173, 4-174, 4-175, 4-176, 4-177, 4-178, 4-179, 4-180, 4-181, 4-182, 4-183, 4-184, 4-185, 4-186, 4-187, 4-188, 4-189, 4-190, 4-191, 4-192, 4-193, 4-194, 4-195, 4-196, 4-197, 4-198, 4-199, 4-200, 4-201, 4-202, 4-203, 4-204, 4-205, 4-206, 4-207, 4-208, 4-209, 4-210, 4-211, 4-212, 4-213, 4-214, 4-215, 4-216, 4-217, 4-218, 4-219, 4-220, 4-221, 4-222, 4-223, 4-224, 4-225, 4-226, 4-227, 4-228, 4-229, 4-230, 4-231, 4-232, 4-233, 4-234, 4-235, 4-236, 4-237, 4-238, 4-239, 4-240, 4-241, 4-242, 4-243, 4-244, 4-245, 4-246, 4-247, 4-248, 4-249, 4-250, 4-251, 4-252, 4-253, 4-254, 4-255, 4-256, 4-257, 4-258, 4-259, 4-260, 4-261, 4-262, 4-263, 4-264, 4-265, 4-266, 4-267, 4-268, 4-269, 4-270, 4-271, 4-272, 4-273, 4-274, 4-275, 4-276, 4-277, 4-278, 4-279, 4-280, 4-281, 4-282, 4-283, 4-284, 4-285, 4-286, 4-287, 4-288, 4-289, 4-290, 4-291, 4-292, 4-293, 4-294, 4-295, 4-296, 4-297, 4-298, 4-299, 4-300, 4-301, 4-302, 4-303, 4-304, 4-305, 4-306, 4-307, 4-308, 4-309, 4-310, 4-311, 4-312, 4-313, 4-314, 4-315, 4-316, 4-317, 4-318, 4-319, 4-320, 4-321, 4-322, 4-323, 4-324, 4-325, 4-326, 4-327, 4-328, 4-329, 4-330, 4-331, 4-332, 4-333, 4-334, 4-335, 4-336, 4-337, 4-338, 4-339, 4-340, 4-341, 4-342, 4-343, 4-344, 4-345, 4-346, 4-347, 4-348, 4-349, 4-350, 4-351, 4-352, 4-353, 4-354, 4-355, 4-356, 4-357, 4-358, 4-359, 4-360, 4-361, 4-362, 4-363, 4-364, 4-365, 4-366, 4-367, 4-368, 4-369, 4-370, 4-371, 4-372, 4-373, 4-374, 4-375, 4-376, 4-377, 4-378, 4-379, 4-380, 4-381, 4-382, 4-383, 4-384, 4-385, 4-386, 4-387, 4-388, 4-389, 4-390, 4-391, 4-392, 4-393, 4-394, 4-395, 4-396, 4-397, 4-398, 4-399, 4-400, 4-401, 4-402, 4-403, 4-404, 4-405, 4-406, 4-407, 4-408, 4-409, 4-410, 4-411, 4-412, 4-413, 4-414, 4-415, 4-416, 4-417, 4-418, 4-419, 4-420, 4-421, 4-422, 4-423, 4-424, 4-425, 4-426, 4-427, 4-428, 4-429, 4-430, 4-431, 4-432, 4-433, 4-434, 4-435, 4-436, 4-437, 4-438, 4-439, 4-440, 4-441, 4-442, 4-443, 4-444, 4-445, 4-446, 4-447, 4-448, 4-449, 4-450, 4-451, 4-452, 4-453, 4-454, 4-455, 4-456, 4-457, 4-458, 4-459, 4-460, 4-461, 4-462, 4-463, 4-464, 4-465, 4-466, 4-467, 4-468, 4-469, 4-470, 4-471, 4-472, 4-473, 4-474, 4-475, 4-476, 4-477, 4-478, 4-479, 4-480, 4-481, 4-482, 4-483, 4-484, 4-485, 4-486, 4-487, 4-488, 4-489, 4-490, 4-491, 4-492, 4-493, 4-494, 4-495, 4-496, 4-497, 4-498, 4-499, 4-500, 4-501, 4-502, 4-503, 4-504, 4-505, 4-506, 4-507, 4-508, 4-509, 4-510, 4-511, 4-512, 4-513, 4-514, 4-515, 4-516, 4-517, 4-518, 4-519, 4-520, 4-521, 4-522, 4-523, 4-524, 4-525, 4-526, 4-527, 4-528, 4-529, 4-530, 4-531, 4-532, 4-533, 4-534, 4-535, 4-536, 4-537, 4-538, 4-539, 4-540, 4-541, 4-542, 4-543, 4-544, 4-545, 4-546, 4-547, 4-548, 4-549, 4-550, 4-551, 4-552, 4-553, 4-554, 4-555, 4-556, 4-557, 4-558, 4-559, 4-560, 4-561, 4-562, 4-563, 4-564, 4-565, 4-566, 4-567, 4-568, 4-569, 4-570, 4-571, 4-572, 4-573, 4-574, 4-575, 4-576, 4-577, 4-578, 4-579, 4-580, 4-581, 4-582, 4-583, 4-584, 4-585, 4-586, 4-587, 4-588, 4-589, 4-590, 4-591, 4-592, 4-593, 4-594, 4-595, 4-596, 4-597, 4-598, 4-599, 4-600, 4-601, 4-602, 4-603, 4-604, 4-605, 4-606, 4-



ICW/NASSAU RIVER - ST. JOHNS RIVER MARSHES



WETLANDS SUMMARY	
TYPE	ACREAGE
SALTWATER MARSH	39.86
NON-VEGETATED	1.56
TOTAL	41.42

TIDE INFORMATION	
MHW ELEVATION	5.66
MLLW ELEVATION	0.00
TIDAL RANGE (DIURNAL)	6.56
TIDAL RANGE (MEAN)	6.02
PERIODICITY	SEMI-DIURNAL

NOTES:
1. ELEVATIONS AND CONTOURS ARE SHOWN IN REFERENCE TO MEAN LOW LOW WATER (MLLW) DATUM.

- NOTES:
- THIS DRAWING IS NOT A FIELD SURVEY
 - PROJECT LOCATED IN SECTIONS 19, 6, AND 49 IN TOWNSHIP 2 NORTH, RANGE 28 EAST, NASSAU COUNTY, FLORIDA. ADJACENT WATER BODY IS INTRACOASTAL WATERWAY/NASSAU RIVER/ST. JOHNS RIVER MARSHES
 - ELEVATIONS ARE SHOWN IN REFERENCE TO MEAN LOW LOW WATER (MLLW) DATUM.
 - NAVD88 TO MLLW DATUM RELATIONSHIP USED IS -3.375 FT.
 - MLLW AND NAVD88 DATUM RELATIONSHIP BASED ON DATA FROM NOAA ONLINE VERTICAL DATUM TRANSFORMATION TOOL USING THE APPROXIMATE CRANE ISLAND LOCATION OF 30.612532 LATITUDE -81.484126 LONGITUDE.
 - TIDAL INFORMATION OBTAINED FROM NOAA TIDE STATION 8720030 IN FERNANDINA BEACH, FL.
 - HYDROGRAPHIC SURVEY DATA BASED ON INFORMATION FROM SURVEY BY CLARY & ASSOCIATES DATED 2/16/17

Horizontal Information

Source	Target
Reference Frame: NAD83(1986)	NAD83(1986)
Coord. System: Geographic (Longitude, Latitude)	Geographic (Longitude, Latitude)
Unit: meter (m)	meter (m)
Zone: AL E - 0101	AL E - 0101

Vertical Information

Source	Target
Reference Frame: NAVD 88	MLLW
Unit: foot (U.S. Survey) (US ft)	foot (U.S. Survey) (US ft)
Height: Height Sounding	Height Sounding
GROD model: G86C0128	GROD model: G86C0128

Point Conversion
ASCII File Conversion

Input	Convert	Output
Longitude: -81.482685	Reset	Longitude: -81.482685000
Latitude: 30.613981	Reset	Latitude: 30.613981000
Height: 0	DMS	Height: 3.375

Vertical Uncertainty: 9.49368 cm

RS&H

RS&H, Inc.

10748 Deerwood Park Blvd. South
Jacksonville, Florida 32256-0597
904-256-2500 Fax 904-256-2503
www.rsandh.com
FL Cert. Nos. AAC001886 * IB26000956 * 5620 * LCC000210 * GB238

**THE RANGE
AT
CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL
32034**

**CRANE ISLAND
SUBDIVISION
FERNANDINA BEACH, FL
32034**

CONSULTANTS

REVISIONS

NO.	DESCRIPTION	DATE

DATE ISSUED: 8/9/2018

REVIEWED BY: MAC

DRAWN BY: CBS

DESIGNED BY: MAC

AEP PROJECT NUMBER
501-0223-000

© 2017, RS&H, INC.

SHEET TITLE

**OVERALL
CRANE ISLAND DOCKS
EXISTING CONDITIONS**

SHEET NUMBER

C-100

PERMIT SET



ICW/NASSAU RIVER - ST. JOHNS RIVER MARSHES

RIPARIAN PROPERTY LINE TO BE PLACED UNDER CONSERVATION EASEMENT FOR DOCKS BEGIN

**THE RANGE
AT
CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL
32034**

**CRANE ISLAND
SUBDIVISION
FERNANDINA BEACH, FL
32034**

CONSULTANTS

REVISIONS

[illegible]

DATE ISSUED: 8/9/2018

REVIEWED BY: MAC

DRAWN BY: CBS

DESIGNED BY: MAC

AEP PROJECT NUMBER

501-0223-000

© 2017, RS&H, INC.

SHEET TITLE

OVERALL CRANE ISLAND DOCKS PROPOSED PLAN

SHEET NUMBER

C-101

PERMIT SET

DOCK SUMMARY				
TOTALS	EXISTING	TOTAL PROPOSED	SHARED DOCKS AND PIERS	INDIVIDUAL DOCKS
TOTAL AREA OVER UPLANDS	—	2,705 SF	1768 SF	937 SF
TOTAL AREA OVER WETLANDS	—	8,429 SF	8,072 SF	357 SF
TOTAL AREA OVER WATER*	—	12,528 SF	7,070 SF	5,458 SF
TOTAL DOCK AREA*	—	23,662 SF	16,910 SF	6,752 SF
TOTAL MOORING AREA*	—	14,268 SF	10,548 SF	3,720 SF
TOTAL LENGTH OF RIPARIAN SHORELINE	—	3,896 LF	2,473 LF	1,423 LF
TOTAL SOVEREIGNTY SUBMERGED LANDS PREEMPTED AREA**	—	26,796 SF	17,618 SF	9,178 SF
AVERAGE RATIO OF PREEMPTED AREA TO RIPARIAN SHORELINE	—	$\frac{26796}{8896} = 6.88$	$\frac{17618}{7473} = 7.12$	$\frac{9178}{1423} = 6.45$
# WET SLIPS PERMANENT	—	39	—	—
# WET SLIPS TEMPORARY	—	0	—	—
# DRY SLIPS	—	0	—	—
AVERAGE SLIP DEPTH @ MLW	—	6.5	—	—
AVERAGE SLIP DEPTH @ MHW	—	12.5	—	—
MAX BOAT SIZE (LENGTH)	—	20	—	—
MAX BOAT SIZE (DRAFT)	—	2.5	—	—

* DOCK AND MOORING AREAS INCLUDE 1.0' ROOF OVERHANG AREA OFF THE WATERWARD END OF DOCK.

BULKEAD SUMMARY

EXISTING LENGTH (FT)	0
PROPOSED LENGTH (FT)	453
LF THROUGH WETLANDS	0
LF THROUGH SURFACE WATER	0
LF THROUGH UPLANDS	453

TIDE INFORMATION


MHW ELEVATION	5.66
MLLW ELEVATION	0.00
TIDAL RANGE (DIURNAL)	6.56
TIDAL RANGE (MEAN)	6.02
PERIODICITY	SEMI-DIURNAL

NOTES:


1. ELEVATIONS ARE SHOWN IN REFERENCE TO MEAN LOW LOW WATER (MLLW) DATUM.

Horizontal Information		Source		Target	
Reference Frame:	NAD83(1986)	☒	NAD83(1986)	☒	
Coord. System:	Geographic (Longitude, Latitude)	☒	Geographic (Longitude, Latitude)	☒	
Unit:	meter (m)	☒	meter (m)	☒	
Zone:		☒	AL E-8101	☒	AL E-8101
☒ Vertical Information					
		Source		Target	
Reference Frame:	NAD 88	☒	MLW	☒	
Unit:	foot (U.S. Survey) (U.S. ft)	☒	foot (U.S. Survey) (U.S. ft)	☒	
	☒ Height ☐ Sounding		☒ Height ☐ Sounding		
	☐ GEOID model: GEOID18	☒	GEOID18	☐	GEOID18
Point Conversion ASCII File Conversion					
Input			Output		
Longitude:	81.4826855	Convert	Longitude:	81.48268550000	
Latitude:	30.613681	Reset	Latitude:	30.6136810000	
Height:	0	DMS	Height:	3.378	
	Draw to an map			Draw to an map	Reset Map
Vertical Area: FLGAseashy331_8301:3			Vertical Uncertainty: 9.49368 cm		


Drawing: U:\P\5010223000 The Range At Crane Island\C\Exhibits\Docks\Docks Location 50' Use this one\MLLW Set\New Dock Locations 50 EXP MLLW.dwg Plotted on: 1/31/2019 11:22 AM Plotted by: Keppel, Tyler




PARK PIER & POD 4 DOCK



POD 5 DOCK



POD 5 DOCK PROFILE




NOTES:


1. THIS DRAWING IS NOT A FIELD SURVEY
2. ELEVATIONS ARE SHOWN IN REFERENCE TO MEAN LOW WATER (MLLW) DATUM.
3. NAVD88 TO MLLW DATUM RELATIONSHIP USED IS -3.375 FT.
4. MLLW AND NAVD88 DATUM RELATIONSHIP BASED ON DATA FROM NOAA ONLINE VERTICAL DATUM TRANSFORMATION TOOL USING THE APPROXIMATE CRANE ISLAND LOCATION OF 30.612532 LATITUDE -81.484126 LONGITUDE.
5. TIDAL INFORMATION OBTAINED FROM NOAA TIDE STATION 8720030 IN FERNANDINA BEACH, FL.
6. HYDROGRAPHIC SURVEY DATA BASED ON INFORMATION FROM SURVEY BY CLARY & ASSOCIATES DATED 2/16/17
7. CONTOUR LOCATIONS ARE APPROXIMATE BASED ON CONTOURS EXISTING FURTHER SOUTH. ELEVATIONS SHOWN ARE APPROXIMATE BASED ON CONTOUR EXTENSIONS.

PARK PIER CLOSE-UP


SCALE 1"=10'



PARK PIER PROFILE




POD 4 DOCK PROFILE



POD 4 DOCK CLOSE-UP

SCALE 1"=10'



POD 5 DOCK CLOSE-UP

SCALE 1"=10'

RS&H

RS&H, Inc.

10748 Deerwood Park Blvd. South
Jacksonville, Florida 32256-0597
904-256-2500 Fax 904-256-2503
www.rsandh.com

FL Cert. Nos. AAC001886 * IB26000956 * 5620 * LCC000210 * GB238

THE RANGE
AT
CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL
32034

CRANE ISLAND
SUBDIVISION
FERNANDINA BEACH, FL
32034

CONSULTANTS

REVISIONS

NO.	DESCRIPTION	DATE
1	ADDED DIMENSIONS	02/13/19

DATE ISSUED: 8/9/2018

REVIEWED BY: MAC

DRAWN BY: CBS

DESIGNED BY: CBS

AEP PROJECT NUMBER
501-0223-000

© 2017, RS&H, INC.


SHEET TITLE

CRANE ISLAND DOCKS
PROPOSED PLAN
DETAILS


SHEET NUMBER

C-102


PERMIT SET




POD 6 DOCK





POD 6 DOCK PROFILE



ROAD 8 DOCK



ROAD 8 DOCK PROFILE



- NOTES:
- THIS DRAWING IS NOT A FIELD SURVEY
 - ELEVATIONS ARE SHOWN IN REFERENCE TO MEAN LOW LOW WATER (MLLW) DATUM.
 - NAVD88 TO MLLW DATUM RELATIONSHIP USED IS -3.375 FT.
 - MLLW AND NAVD88 DATUM RELATIONSHIP BASED ON DATA FROM NOAA ONLINE VERTICAL DATUM TRANSFORMATION TOOL USING THE APPROXIMATE CRANE ISLAND LOCATION OF 30.612532 LATITUDE -81.484126 LONGITUDE.
 - TIDAL INFORMATION OBTAINED FROM NOAA TIDE STATION 8720030 IN FERNANDINA BEACH, FL
 - HYDROGRAPHIC SURVEY DATA BASED ON INFORMATION FROM SURVEY BY CLARY & ASSOCIATES DATED 2/16/17

RS&H

RS&H, Inc.

10748 Deerwood Park Blvd. South
Jacksonville, Florida 32256-0597
904-256-2500 Fax 904-256-2503
www.rsandh.com
FL Cert. Nos. AAC001886 * IB26000956 * 5620 * LCC000210 * GB238

**THE RANGE
AT
CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL
32034**

**CRANE ISLAND
SUBDIVISION
FERNANDINA BEACH, FL
32034**

CONSULTANTS

REVISIONS

NO.	DESCRIPTION	DATE
1	ADDED DIMENSIONS	02/13/19

DATE ISSUED: 8/9/2018

REVIEWED BY: MAC

DRAWN BY: CBS

DESIGNED BY: CBS


AEP PROJECT NUMBER
501-0223-000

© 2017, RS&H, INC.
SHEET TITLE


**CRANE ISLAND DOCKS
PROPOSED PLAN
DETAILS**

SHEET NUMBER
C-103


PERMIT SET




CLUBHOUSE PIER




CLUBHOUSE PIER PROFILE




MARSH PIER



MARSH PIER PROFILE



CLUBHOUSE PIER CLOSE-UP



MARSH PIER CLOSE-UP

- NOTES:
- THIS DRAWING IS NOT A FIELD SURVEY
 - ELEVATIONS ARE SHOWN IN REFERENCE TO MEAN LOW LOW WATER (MLLW) DATUM.
 - NAVD88 TO MLLW DATUM RELATIONSHIP USED IS -3.375 FT.
 - MLLW AND NAVD88 DATUM RELATIONSHIP BASED ON DATA FROM NOAA ONLINE VERTICAL DATUM TRANSFORMATION TOOL USING THE APPROXIMATE CRANE ISLAND LOCATION OF 30.612532 LATITUDE -81.484126 LONGITUDE.
 - TIDAL INFORMATION OBTAINED FROM NOAA TIDE STATION 8720030 IN FERNANDINA BEACH, FL.
 - HYDROGRAPHIC SURVEY DATA BASED ON INFORMATION FROM SURVEY BY CLARY & ASSOCIATES DATED 2/16/17

RS&H

RS&H, Inc.

10748 Deerwood Park Blvd. South
Jacksonville, Florida 32256-0597
904-256-2500 Fax 904-256-2503
www.rsandh.com
FL Cert. Nos. AAC001886 * IB26000956 * 5620 * LCC000210 * GB238

THE RANGE
AT
CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL
32034

CRANE ISLAND
SUBDIVISION
FERNANDINA BEACH, FL
32034

CONSULTANTS

REVISIONS

NO.	DESCRIPTION	DATE

DATE ISSUED: 8/9/2018

REVIEWED BY: MAC

DRAWN BY: CBS

DESIGNED BY: CBS

AEP PROJECT NUMBER
501-0223-000


© 2017, RS&H, INC.
SHEET TITLE

CRANE ISLAND DOCKS
PROPOSED PLAN
DETAILS


SHEET NUMBER

C-104


PERMIT SET




LOTS 81-82 DOCK




LOTS 81-82 DOCK PROFILE




LOTS 83-84 DOCK



LOTS 83-84 DOCK PROFILE



LOTS 81-82 DOCK CLOSE-UP



LOTS 83-84 DOCK CLOSE-UP

RS&H

RS&H, Inc.

10748 Deerwood Park Blvd. South
Jacksonville, Florida 32256-0597
904-256-2500 Fax 904-256-2503
www.rsandh.com
FL Cert. Nos. AAC001886 * IB26000956 * 5620 * LCC000210 * GB238

**THE RANGE
AT
CRANE ISLAND, LLC
4001 CENTURION WAY
FERNANDINA BEACH, FL
32034**

**CRANE ISLAND
SUBDIVISION
FERNANDINA BEACH, FL
32034**

CONSULTANTS

REVISIONS

NO.	DESCRIPTION	DATE
1	ADDED DIMENSIONS	02/13/19

DATE ISSUED: 8/9/2018

REVIEWED BY: MAC

DRAWN BY: CBS

DESIGNED BY: CBS

AEP PROJECT NUMBER
501-0223-000


© 2017, RS&H, INC.
SHEET TITLE

**CRANE ISLAND DOCKS
PROPOSED PLAN
DETAILS**

SHEET NUMBER

C-105

PERMIT SET




LOTS 89-90 DOCK DATA		
TOTALS	ALLOWED	PROPOSED
LENGTH OF RIPARIAN SHORELINE	-	547 LF
AREA OVER UPLANDS	-	196 SF
AREA OVER WETLANDS	-	77 SF
AREA OVER WATER*	-	1,753 SF
MOORING AREA*	-	744 SF
SOVEREIGNTY SUBMERGED LANDS PREEMPTED AREA**	5,470 SF	2,497 SF
RATIO OF PREEMPTED AREA TO RIPARIAN SHORELINE	-	$\frac{2,497}{547} = 4.56$
MEAN HIGH WATER LEVEL AREA	-	62.83 SF

WATER BODY DATA		
TOTALS	EXISTING	PROPOSED
AVERAGE WIDTH OF WATER BODY**	-	539 LF
WIDTH OF DOCK OVER WATER BODY**	-	106 LF
% DOCK WIDTH/WATER BODY WIDTH	-	19.7%

* DOCK AND MOORING AREAS INCLUDE 1.0' ROOF OVERHANG AREA OFF THE WATERWARD END OF DOCK.
** DISTANCE MEASURED FROM SHORELINE TO SHORELINE.
** DISTANCE MEASURED FROM SHORELINE TO WATERWARD END.

LOTS 89-90 DOCK



LOTS 89-90 DOCK PROFILE

